




ΔΙΑΚΟΣΜ. ΠΛΑΙΣΙΑ
ΛΕΥΚΑ 23 2735
ΚΑΦΕ 23 2734






- 1) 09 5966
- 2) 09 2972
- 3) 20 8297
- 4) 29 9537
- 5) 09 3608



1) 23 4561 kompl.



TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS					
Verdichter/Compressor/Compresseur/Compresora		Danfoss			
Typ/Type/Tipo		NL9F			
Förderleistung/Delivery/Debit/Aspiración l/h		1503			
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		11,4			
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		11,3			
Hi/aux.		13,1			
Temp.Reyler/Thermostat/Termostato		RANCO			
Typ/Type/Tipo		K57-L2817			
Reglerstellung/Position/Conexión		MAX MIN.			
Schaltwerte/Switching values/		-25° -17°			
Valeurs de commutation/Desconex.		-30° —			
(..abtaven' od)		..alarm'			
Füllmenge/Fill. quantily/Charge/Carga R134a		g	200		
Anschlusswert/Comm. load/Puiss. Connect./Potenc.		W			
Heizung/Heater/Chauflage/Resistenc.descong.		Ohm	Verdampfer	Ablaufrinne	Blende
Widerstand/Resistance/Resistencia			270	710	2900
Leistung/Power/Puissance/Potencia		W	180	80	20
Ventilador/Blower/Ventilateur/Ventilador		Ohm	Verdichter	Verdampfer	
Widerstand/Resistance/Resistencia			350	460	
Schaltuhr/Timer/Minuterie de contact		Ohm	7900		
Widerstand/Resistance					