


Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
		Chassis 9403	
	53 1322	Bedienungsanleitung V01	operation instruction
	53 1313	V02	
	53 1310	V03	
	53 5641	Service Manual	service manual
	75 9515	Fernbedienung FB 106 (keine Einzelteile)	remote control
!	78 2049	Bildröhre A51JAR43X01(MW)/JSX V01, V02	picture tube
	78 3571	A51EAL155X01 PHI V03	
!	75 9360	Bildrohrfassung V01, V02	picture tube socket
	73 3712	V03	
!	75 9962	Bildrohrplatte V01 (122.09)	crt panel
	75 9781	V02 (122.02)	
	75 9969	V03 (022.17)	
!	75 9853	Netzschalterplatte V01, V02	main switch panel
w.	75 9266	Tuner 201.21	tuner
	75 9510	201.31	
	75 9587	ZF-Baustein V01 (162.57)	if amplifier
	75 9782	ZF-Ton Baustein V01 Nicam (162.39)	if sound panel
	75 9773	V02, V03 (102.40)	
! w.		Sicherheitsbauteil wahlweise	safety part alternatively/eligible


Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
	79 6334	Abdeckung Peribuchse	cover peri
	75 9881	Bausteinhalter Bedienteil V01, V02	modul holder operation unit
		Buchse	jack
	79 5506	Chinch 3-fach (FBAS/NF L, R) V03	rca
	79 2688	Kopfhörer 3,5mm stereo	headphone
	79 2689	Peri schwarz	peri
		Chassisbefestigung	chassis fixture
	75 9380	V01, V02	
	75 9968	V03	
!	78 2048	Entmagnetisierungsspule	demagnetizing coil
!	75 9382	Fokusleitung	focus cable
	73 3713	Glimmerscheibe T53001	mica disk
!	75 6665	Hochspannungskabel	high tention cable
!		Isolierfolie	foil
	79 6475	V01/V02	
	79 6476	Brandschutz V01/V02	fire protection
	79 6619	Brandschutz Netzschalter V01	fire protection
	79 6623	Brandschutz V03	fire protection
		Lautsprecher Breitband	speaker
	75 7961	V01, V02	
	75 9965	V03	
!		Sicherheitsbauteil	safety part

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
	79 2158	Laut./Prog. +/-	
!	79 5283	Netz	
w. !	79 5293	Netz	
			
SI40006	! 79 4336	Löt.-GR 1 A/T	
SI60001	! 79 4302	T2,5A L 250 V	
SI61006	! 73 6306	Löt.-GR 3,15 A/T	
			
L53011	79 3903	Linearitätsregler (90)	V01, V02
L62001	! 79 6372	Funkentstördrossel RK19	
			
TR52005	! 79 6373	Treiber	
TR52006	! 75 9783	Dioden-Split	V01, V02
TR52007	! 75 9970	Dioden-Split	V03
TR52008	! 75 9784	Sperrwandler	V01, V02
TR60020	! 75 9971	Sperrwandler	V03
!		Sicherheitsbauteil	safety part
w.		wahlweise	alternatively/eligible


Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CBR15S	79 5622	Jumper	V01
CBR30	79 5622	Jumper	V02
CBR31	79 5622	Jumper	V01, V02
CR731	73 7722	470 Ohm 5 %	V02
CR752	73 8341	2,7 KOhm 5 %	V02
CR772	73 8341	2,7 KOhm 5 %	V02
CR777	73 7722	470 Ohm 5 %	V02
CR32012	73 7722	470 Ohm 5 %	V01, V02
CR32016	73 7722	470 Ohm 5 %	V01, V02
CR32027	73 7722	470 Ohm 5 %	V01, V02
CR34037	79 5622	Jumper	V01, V02
CR80007	79 5622	Jumper	V02
CR80016	79 5622	Jumper	V01, V02
R21111 !	79 2208	330 Ohm 5 %	V01
R21503 !	73 7749	4,7 Ohm 5 %	V01, V02
R21503 !	79 5680	8,2 Ohm 5 %	V03
R31001 !	73 0296	4,7 Ohm 5 %	V03
R34011 !	79 5990	4,7 Ohm 5 %	
R34012 !	79 5990	4,7 Ohm 5 %	
R40009 !	79 5990	4,7 Ohm 5 %	
R40019 !	79 5990	4,7 Ohm 5 %	
R50001 !	79 4395	2,2 Ohm	
R50003 !	79 5237	10 Ohm 5 %	
R50020 !	79 6599	270 Ohm 5 %	
!		Sicherheitsbauteil	safety part

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
R52006 !	79 5395	22 Ohm 5 %	
R52008	79 4083	0,51 Ohm 10 %	
R53009	79 4087	1 MOhm 5 % VR 37	
R53011 !	79 2753	820 Ohm 5 %	
R53012 !	79 5256	1,5 KOhm 5 %	V01, V02
R53012 !	79 6626	820 Ohm 5 %	V03
R53015 !	79 6600	10 KOhm 5 %	
R54001 !	73 4196	10 Ohm 5 %	
R54006 !	73 7495	0,75 W 1 Ohm 10 %	
R60002 !	73 2974	PTC DUO	
R60016	73 5741	NTC 4,7 Ohm 30 %	
R60026 !	79 2751	4,7 MOhm 5 %	
R60042	79 5530	9,1 KOhm 5 %	V01, V02
R61021 !	79 6601	15 Ohm 5 %	
!		Sicherheitsbauteil	safety part

V01,V02



V03



Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
		Montageclip T53001/IC40010/50010 79 5154 T60020/IC61010/61025/61030	mounting clip
!	79 6597	Netzeinbaugerätestecker V01, V02	angle plug
!	75 9383	V03	
!	75 7906	Netzkabel mit Entstördrossel	power cord
!	79 4889	Sicherungshalter SI60001	fuse holder
	73 4959	Spulenklammer	coil holder
	75 9967	Tastensatz Prog./Laut. V03	key button
	78 2617	Typenaufkleber	type label
	79 3886	Wärmeleitfolie T60020/IC61010	heat conduction foil
			
CD734	79 5262	SMD LS4148 V02	
CD742	79 5262	SMD LS4148 V02	
CD762	79 5262	SMD LS4148 V02	
CD781	79 5262	SMD LS4148 V02	
CD2214	73 6337	SMD BA582 V01	
CD2215	79 5262	SMD LS4148 V01	
CD2216	73 6337	SMD BA582 V01	
CD2217	73 6337	SMD BA582 V01	
!		Sicherheitsbauteil	safety part

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CD2218	73 6337	SMD BA582	V01
CD2237	79 5379	SMD B419	V01
CD2238	79 5379	SMD B419	V01
CD2239	79 5379	SMD B419	V01
CD2240	79 5380	SMD B619	V01
CD2241	79 5379	SMD B419	V01
CD2242	79 5380	SMD B619	V01
CD2243	79 5379	SMD B419	V01
CD2244	79 5379	SMD B419	V01
CD2248	79 5380	SMD B619	V01
CD2249	79 5380	SMD B619	V01
CD2266	79 6289	SMD B620	V01
CD2274	79 5262	SMD LS4148	V01
CD2316	79 5262	SMD LS4148	V01
CD3963	79 5262	SMD LS4148	
CD3964	79 5555	SMD 8,2 C 0,5 W	
CD21503	79 5262	SMD LS4148	V03
CD32011	79 5262	SMD LS4148	V01
CD43017	79 5262	SMD LS4148	
CD43021	79 5262	SMD LS4148	
CD46006	79 5262	SMD LS4148	
CD46007	79 5262	SMD LS4148	
CD46008	79 5262	SMD LS4148	
CD46021	79 5262	SMD LS4148	
CD46026	79 5262	SMD LS4148	
CD46041	79 5262	SMD LS4148	
CD50011	79 5262	SMD LS4148	

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CD50016	79 5262	SMD LS4148	
CD52001	79 5262	SMD LS4148	
CD57011	79 5262	SMD LS4148	
CD60031	79 5262	SMD LS4148	
CD60034	79 6366	SMD 16V B 0,5 W	
CD60046	79 5262	SMD LS 4148	
CD60047	79 5262	SMD LS4148	
CD61013	79 5262	SMD LS4148	
CD80017	79 5262	SMD LS4148	
CD80018	79 5262	SMD LS4148	
CD80019	79 5262	SMD LS4148	
D21504	73 9325	BAV21	
D50001	79 0842	BYV 28–200	
D50003	79 2977	Z 51 C 0,5 W	
D50004	70 9579	1N4002	
D50006	73 9410	1N4148	
D53015	79 0134	BA157	
D54001	! 73 2776	BYV 16 /BYV 96E	
D54006	! 73 4310	1N4936	
D57013	73 9410	1N4148	
D57027	73 9410	1N4148	
D60011	70 9740	1N4007	
D60012	70 9740	1N4007	
D60013	70 9740	1N4007	
D60014	70 9740	1N4007	
D60023	70 9740	1N4003	
!		Sicherheitsbauteil	safety part

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
D60024	70 9740	1N4003	
D60029	79 2757	BYT54M	
D60030	79 2757	BYT54M	
D60031	73 0501	BA157	
D60034	79 0134	BA157	
D61001	! 71 1586	BY299 / BYV37	V01, V02
D61001	73 8164	BYT56M	V03
D61003	79 4467	ZTK33B	
D61006	! 79 3890	BYW172 D/SK3G	
D80001	79 3893	LED TLDR4100 TFK	V03
D85001	79 2359	LED TLDR4100 TFK	V01, V02
			
CIC2280	79 5910	SMD MC144110DWR2	V01
CIC2290	79 5910	SMD MC144110DWR2	V01
CIC34010	79 5385	SMD TDA4665T	V01
CIC34010	79 5653	SMD TDA4662T	V02, V03
IC2201	73 5907	MC78M05CT	V01
IC2202	73 6086	MC78L15	V01
IC2210	79 2346	X24C02P	V01
IC2230	79 5164	TDA9811V3	V01
IC2230	w. 79 6290	TDA9815V3/TDA9811V3	V01
IC3960	79 5162	MSP3410–15	V01
IC3960	79 5161	MSP3400–15	V02
IC3960	79 6467	MSP3400 C	V03
!		Sicherheitsbauteil	safety part
w.		wahlweise	alternatively/eligible

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
IC24000	79 6620	TDA6106Q	V01, V03
IC24030	79 6620	TDA6106Q	V01, V03
IC24070	79 6620	TDA6106Q	V01, V03
IC34005	79 5168	TDA8395P/N2	V01
IC34015	79 6368	TDA8374	
IC40010	79 6369	TDA7263	
IC46000	79 5658	SAA5254P/E	
IC50010	79 6370	TDA8356	
IC60030	79 6371	UC3843N	
IC61010	73 4089	LM317T	
IC61025	73 8941	MC7805CT	
IC61030	73 8941	MC7805CT	
IC80000	79 6625	ZC411874 (Ersatzf. 411867p)	
IC80020	79 2674	MC33164 P-5RP	
IC84001	79 2339	TFMS 5300 (STEHEND)	
IC87060	79 2748	X24C04	
			
CT2207	73 0790	SMD BC848B	V01
CT2210	73 0790	SMD BC848B	V01
CT2213	73 6908	SMD BC857B	V01
CT2216	73 6908	SMD BC857B	V01
CT2225	73 0790	SMD BC848B	V01

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CT2230	73 0790	SMD BC848B	V01
CT2235	79 2863	SMD BF660	V01
CT2265	73 6904	SMD BC848C	V01
CT2270	73 6908	SMD BC857B	V01
CT2275	73 6908	SMD BC857B	V01
CT2276	73 0790	SMD BC848B	V01
CT2290	73 0790	SMD BC848B	V01
CT2295	73 6908	SMD BC857B	V01
CT2320	73 0790	SMD BC848B	V01
CT3945	73 6905	SMD BC858B	V01
CT3945	79 4687	SMD BC850B	V02, V03
CT3947	73 6905	SMD BC858B	V01
CT3947	79 4687	SMD BC850B	V02, V03
CT32014	73 0790	SMD BC848B	
CT32015	73 6908	SMD BC857B	
CT32020	73 6904	SMD BC848C	
CT32025	796598	SMD BC818–25	V02, V03
CT34001	73 0790	SMD BC848B	
CT40025	73 6904	SMD BC848C	
CT40030	79 5544	SMD BC817–40	
CT46006	73 6908	SMD BC857B	
CT46007	73 6908	SMD BC857B	
CT46008	73 6908	SMD BC857B	
CT46020	73 6908	SMD BC857B	
CT46025	73 6908	SMD BC857B	
CT46040	73 6908	SMD BC857B	

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CT50020	73 0790	SMD BC848B	
CT57005	73 0790	SMD BC848B	
CT57016	73 6908	SMD BC857B	
CT57020	73 6908	SMD BC857B	
CT57025	73 0790	SMD BC848B	
CT58005	73 6908	SMD BC857B	
CT58006	73 6908	SMD BC857B	
CT58007	73 0790	SMD BC848B	
CT58010	73 6908	SMD BC857B	
CT80023	73 0790	SMD BC848B	
T736	73 7611	BF421	V02, V03
T741	73 4186	BF871SG	V02, V03
T756	73 7611	BF421	V02, V03
T761	73 4186	BF871SG	V02, V03
T776	73 7611	BF421	V02, V03
T781	73 4186	BF871 SG	V02, V03
T21501	73 7896	S298T/PBF259	
T52005	79 5288	BC637	
T53001	73 4179	BU 508 D / ON4152	
T60020	73 7890	BUZ90	V01, V02
T60020	79 5509	IRF BC40	V03
T61020	72 2134	BC337–25	

Pos. Item Pos.	Ident-Nr. Ident-No N°d'ident	Bezeichnung	Designation Désignation
			
CC2253	79 5513	0,22 µF 10 % 25 V V01	
CC2255	79 5513	0,22 µF 10 % 25 V V01	
CC61011	79 5513	0,22 µF 10 % 25 V V01, V02	
CC61031	79 5513	0,22 µF 10 % 25 V V01, V02	
C53001	79 1191	7000PF 3,5 % 1600 V V01, V02	
C60029	73 7724	470PF 10 % 1600 V	
C60033 !	73 7060	SI-KERKO B-SS 1000PF 20% 400V	
C62001 !	73 7059	0,1 µF 20 % 250 VW	
C62002 !	73 7059	0,1 µF 20 % 250 VW	
C62003 !	73 7060	1000 PF 20 % 400 V	
C62004 !	73 7060	1000 PF 20 % 400 V	
C62005 !	73 7059	0,1 µF 20 % 250 VW	
			
Q3970	79 2136	18,432 MHz V01, V02	
Q3970	79 6529	18,432 MHz 12 PF V03	
Q34043	79 4321	4,433619 MHz	
Q34044	79 4320	3,579545 MHz V01	
Q46038	79 0638	27 MHz V01, V02	
Q46038	79 0834	27 MHz V03	
Q80040	73 2946	CER.RES. 4,00 MHz	
!		Sicherheitsbauteil	safety part