










TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss		
Typ/Type		TL 5 F		
Förderleistung/Delivery/Débit		l/h	914	
Anlaufstrom/Starting current/Cour de démarrage		A	8,9	
Widerstand/Resistance/Résistance		Ha/main/prin. Ω	18,0	
		Hi/aux Ω	14,7	
Temp.-Regler/Thermostat		WHF		
Typ/Type		TF 57 SF2		
Reglerstellung/Position		kalt	warm	
Schaltwerte/Switching values/ Valeurs de commutation („abtauen“ od.)		„ein“ $^{\circ}\text{C}$	-25	-17
		„aus“	-33	-23
		„alarm“	-19,5	-13
Füllmenge/Fill.quantity/Charge		R12	g	170
Anschlußwert/Conn.load/Puiss. connectée		W	120	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Schaltuhr/Timer/Minuterie de contact				
Widerstand/Resistance/Résistance		Ω		
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		

Pos.	Danfoss		
	TL 5 A		
1	14 0065		
2			
3	05 9191		
4			
5	02 7310		
6	05 1413		
7			
8			
9	05 0166		
10			
11			
12			