








V01



V02,V03,V04







	V01,V02	V03	V04
Pos.	Danfoss	Aspera	Danfoss
	TLY8K	EMT 32 CLP	TLY 7 K
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Danfoss	Aspera	Danfoss
Typ/Type		TLY8K	EMT 32 CLP	TLY 7 K
Förderleistung/Delivery/Débit		l/h	1073	1168
Anlaufstrom/Starting current/Cour de démarrage		A	3,5	5,7
Widerstand/Resistance/Résistance Ha/main/prin		W	28,4	27,1
Hi/aux		W	24,7	27,2
Temp.-Regler/Thermostat		KER		
Typ/Type		RCO		
Regelstellung/Position		kalt	warm	
Schaltwerte/Switching values		+5,2	+5,2	
Valeurs de commutation		-32,0	-15,0	
Füllmenge/Fill.quantity/Charge		R600a	*	
Anschlußwert/Conn.load/Puiss. connectée		W	90	68
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		W		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		W		
Temp.-Regler/Thermostat				
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		W		
Spannung/Voltage/Tension		V		

* siehe Typenschild