










Pos.	EU1,CH1,E1	EU2,CH2,E2	
	Matsushita	Matsushita	
	FN 91 Q 17 G	D119LRAA	
1	14 0359	14 0560	
2			
3	02 6742	03 2035	
4			
5			
6	05 6077	05 8458	
7	02 6731	02 6731	
8	11 1919	11 1919	
9	05 0166	05 0166	
10			
11	08 5182	08 509	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES

Verdichter/Compressor/Compresseur		Matsushita	Matsushita	
Typ/Type		FN 91 Q 17 G	D119LRAA	
Förderleistung/Delivery/Débit		l/h	1633	1384
Anlaufstrom/Starting current/Cour. de démarrage		A	11,7	9,6
Widerstand/Resistance/Résistance		Ha/main/prin. Ω	8,6	11,0
		Hi/aux Ω	30,5	26,7
Temp.-Regler/Thermostat		Ranco		
Typ/Type		K 59		
Reglerstellung/Position		kalt	warm	
Schaltwerte/Switching values/		„ein“ $^{\circ}\text{C}$	+4,5	+4,5
Valeurs de commutation		„aus“	-31,0	-13,5
		(„abtauen“ od.)	„alarm“	
Füllmenge/Fill.quantity/Charge		R12	g	240
Anschlußwert/Conn.load/Puiss. connectée		W	150	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω	8800 $\pm$ 530	
Leistung/Power/Puissance		W	5	
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω	285 $\pm$ 28	
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω		
Spannung/Voltage/Tension		V		