according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Liquid descaler for kettles, coffee machines and steam ovens

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for private use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Bavariapool Thomas Emmerichs GmbH

Street: Gewerbering 11
Place: D-82140 Olching

Telephone: +49 (0)8142 / 44504 - 0 Telefax: +49 (0)8142 / 44504 - 10

e-mail: info@bavariapool.de
Contact person: Herr Emmerichs

Responsible Department: Labor

Supplier

Street:

Company name: BSH Home Appliances Service, BSH Home Appliances Ltd.

Grand Union House
Old Wolverton Road

Place: Wolverton - Milton Keynes, MK12 5PT

Telephone: 0344 892 8921
e-mail: mks-spares@bshg.com
Internet: www.bsh-group.com

1.4. Emergency telephone +49 89 19240 Poison Center Rechts der Isar (24 / 7)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

not relevant

2.3. Other hazards

No risks worthy of mention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 2 of 8

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•	•			
5329-14-6	sulfamic acid					
	226-218-8	016-026-00-0	01-2119488633-28			
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412					
7664-38-2	Phosphoric acid					
	231-633-2	015-011-00-6	01-2119485924-24			
	Met. Corr. 1, Acute Tox	k. 4, Skin Corr. 1B; H290 H302 H314				

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Immediately remove any contaminated clothing, shoes or stockings. Remove casualty to fresh air and keep warm and at rest.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No risks worthy of mention.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Phosphorus oxides (e.g. P2O5), Ammonia (NH3).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 3 of 8

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Suitable material for diluting or neutralizing: Water.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Conditions to avoid: generation/formation of aerosols. Use only in well-ventilated areas.

Advice on protection against fire and explosion

The product itself does not burn. No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Suitable container/equipment material: Polyethylene (PE), Material, acid-resistant.

Unsuitable container/equipment material: Metal.

Hints on joint storage

Do not store together with: Alkali (lye).

7.3. Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7664-38-2	Phosphoric acid					
Worker DNEL, long-term		inhalation	local	2,92 mg/m³		
Consumer DNEL, long-term		inhalation	local	0,73 mg/m³		
Worker DNEL, long-term		inhalation	systemic	1 mg/m³		

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 4 of 8

PNEC values

CAS No	Substance			
Environmental compartment Valu		Value		
5329-14-6 sulfamic acid				
Freshwater 0,048		0,048 mg/l		
Marine water 0,004		0,0048 mg/l		
Freshwater sediment 0,173 mg/		0,173 mg/kg		
Marine sediment 0,		0,0173 mg/kg		
Micro-organisms in sewage treatment plants (STP) 2 mg/l		2 mg/l		
Soil 0,00638 m		0,00638 mg/kg		

Additional advice on limit values

See section 7. No additional measures necessary.

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Avoid contact with skin, eyes and clothes.

Eye/face protection

It is recommended to wear tightly fitting safety glasses.

Hand protection

It is recommended to wear special 0.11mm-layer gloves produced out of nitrile by KCL company (Dermatril, item nr. 740).

Skin protection

No special measures are necessary.

Respiratory protection

Usually no personal respirative protection necessary.

Environmental exposure controls

No special environmental protection measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 0,8

Changes in the physical state

Melting point:not determinedInitial boiling point and boiling range:98 °CSublimation point:not determinedSoftening point:not determinedPour point:not determinedFlash point:not applicable

Flammability

Solid: not applicable
Gas: not applicable

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 5 of 8

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Iquition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

(at 20 °C)

Density (at 20 °C): 1,036 g/cm³
Bulk density: not applicable
Water solubility: miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined Solvent separation test: No data available No data available Solvent content:

9.2. Other information

Solid content: not determined

Corrosion rate on steel or aluminum surfaces is < 6,25 mm per year at a test temperature of 55 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

Exothermic reaction with: Alkali (lye).

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Alkali (lye).

10.4. Conditions to avoid

Response: > 205°C

10.5. Incompatible materials

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: Sulphur oxides, Nitrogen oxides (NOx), Phosphorus oxides (e.g. P2O5), Ammonia (NH3), Gases/vapours, irritant.

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 6 of 8

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
5329-14-6	sulfamic acid							
	oral	LD50 mg/kg	3160	Rat				
7664-38-2	Phosphoric acid							
	oral	LD50 mg/kg	1530	Rat				
	dermal	LD50 mg/kg	2740	Rabbit				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised. After neutralisation, toxicity is no longer observed.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
5329-14-6	sulfamic acid						
	Acute fish toxicity	LC50 mg/l	70,3		Pimephales promelas (fathead minnow)		
7664-38-2	2 Phosphoric acid						
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis		
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

Highly thinned solution of an inorganic acid Inorganic product which is not eliminable from water through biological cleaning processes.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 7 of 8

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

none

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packaging: Contaminated packing must be completely be emptied and, after subsequently rinsing them with water, can be used again.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

according to Regulation (EC) No 1907/2006

Liquid descaler for kettles, coffee machines and steam ovens

Revision date: 07.07.2020 Product code: 00312088_00312089 Page 8 of 8

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

IF SWALLOWED: Call a POISON CENTER if you feel unwell.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

Other applicable information

Corrosion rate on steel or aluminum surfaces is < 6,25 mm per year at a test temperature of 55 °C

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Phosphoric acid

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)