






Gebrauchsanweisung
58 7171

- 1) 17 1312
2) 42 1516
3) 36 9815
V01,V02,V03,V04
V05,V06
43 8726
V07
4) 48 9131
5) 16 5552
6) 36 9905
7) 41 8128
8) 36 6902
V01,V02,V03,V04
V05,V06
9) 48 8433
V01,V02,V03
49 1665
V04,V05,V06,V07
10) 36 3157
V01,V02,V03,V04
43 7165
V05,V06,V07
11) 36 6309
V01,V02,V03,V04
43 7166
V05,V06,V07
12) 36 9816
V01,V02,V03,V04
V05,V06



- 1) 49 0669
- 2) 49 0670
- 3) 43 4572
- 4) 16 5557
- 5) 49 1367
- 6) 49 0671
- 7) 47 0830
- 8) 06 0083
- 9) 18 8194
- 10) 18 8188



	V01,V02	V03V04,V05	V06
Pos.	Danfoss	Danfoss	
	NLE15KTK	NLE15KTK2	
1	14 2175	14 2207	
2	17 4093		
3	35 4583		
4	16 3427		
5	49 1201		
6	17 1318		
7	17 1519		
8	18 1014		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER			
	V01,V02	V03	
Verdichter/Compressor/Kompresör	Danfoss	Danfoss	
Typ/Type/Tip	NLE15KTK	NLE15KTK2	
Förderleistung/Delivery/Verim/h			
Anlaufstrom/Starting current/Giris akimi	8		
Widerstand/Resistance/Rezistans Ha/			
Hi/aux.			
Temp.Reyler/Thermostat/Termostat	Elektronisch		
Typ/Type/Tip			
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actma kapama degerleri	..ein/acma °C		
Valeurs de commutation/Termostat degeri	..aus"/kapama		
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantity/ Dolum miktarı	R600a	60	
	g		
Anschlusswert/Comm. load/Giris gucu	215		
	W		
Heizung/Heater/Rezistans	Verdampfer	Ablaufrinne	Klappe
Widerstand/Resistance/Direnc			
Leistung/Power/Guc	267	81	4
	Ω		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans			
	Ω		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans			
Spannung/Voltage/Gerilim			
	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakınız