






Libro de instrucciones
51 6718
(E,P,GB,F,NL,GR)





Pos.	KÜHLGERÄTE
	MATSUSHITA
	D91C18RA
1	14 1289
2	06 6875
3	
4	
5	
6	
7	
8	28 0162
9	05 0166
10	
11	09 3771
12	
13	

TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS

Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo	MATSUSH. D91C18RA
Förderleistung/Delivery/Debit/Aspiración l/h	
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A	10,89
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	8,53
Hi/aux.	21,10

Temp.Reyler/Thermostat/Termostato doble bulbo Typ/Type/Tipo	RANCO K52-L1561
Reglerstellung/Position/Conexión	MAX. MIN
Schaltwerte/Switching values/ ..ein/conex. °C	+3,5° +6°
Valeurs de commutation/Desconex. ..aus"/descon.	+4° +14°
(..abtaven' od) ..alarm'	

Füllmenge/Fill. quantity/Charge/Carga 134a	g	150
--	---	-----

Anschlußwert/Comm. load/puiss. Connect./Potenc.	W	215
---	---	-----

Heizung/Heater/Chauflage/Resistenc.descong. Widerstand/Resistance/Resistencia	Ohm	
Leistung/Power/Puissance/Potencia	W	

Ventilador/Blower/Ventilateur/Ventilador Widerstand/Resistance/Resistencia	Ohm	2000+/-10%
---	-----	------------

Magnetventil/Magnetic valve/Electrovanne/Electrovalvula Widerstand/Resistance/Resistencia	Ohm	
Spannung/Volare/Tension/Tensión	V	

Temp.Reyler/Thermostat/Termostato ambiente para ventilador refrigerador		+23° +3°
--	--	----------