






- 1) 17 2567
- 2) 17 2220
- 3) 17 2255
- 4) 17 2256
- 5) 17 2257
- 6) 17 2259
- 7) 17 2566
- 8) 06 0087
- 9) 17 2570
- 10) 17 2568
- 11) 17 2225



- 1) 35 5285
- 2) 35 5284
- 3) 06 0115
- 4) 17 2274
- 5) 16 7593
- 6) 06 0083
- 7) 17 2275
- 8) 35 5288



TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS					
		KF		GF	
Verdichter/Compressor/Compresseur/Compresor		Matsushita		Danfoss	
Typ/Type/Tipo		SD65E67WBY		TLES9K	
Förderleistung/Delivery/Debit/Aspiración l/h		1177		1584	
Anlaufstrom/Starting current/Cour.démarrage/Int.arranque A		5,5		4,5	
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm		29,8		16,5	
Hi/aux.		31,8		16,9	
Temp.Reyler/Thermostat/Termostato		Danfoss		Danfoss	
Typ/Type/Tipo		077B6167		077B2272L	
Reglerstellung/Position/Conexión		MIN	MAX.	MIN	MAX
Schaltwerte/Switching values/		°	°	-	-
Valeurs de commutation/Desconex.		-8°	-24°	-20°	-28°
(..abtaven' od)		..alarm'		-15°	
Füllmenge/Fill. quantily/Charge/Carga R600a		g		30	50
Anschlusswert/Comm. load/Puiss. Connect./Potenc.		W		160	
Ventilator/Blower/Ventilateur		KF-Ventilator			
Widerstand/Resistance		Ohm		1225	